



GEO-CHEM LABORATORIES PVT.LTD.

Pragati, Adjacent to Crompton Greaves,  
Kanjur Marg (E), Mumbai 400042.  
Tel : +91 22 61915100 Fax : +91 22 61915101  
Email : laboratory@geochem.net.in  
CIN : U74220MH1964PTC013022

International  
Independent Inspection  
&  
Testing Company  
**TEST CERTIFICATE**

Analysis No. : MISC/17/07/009122  
Date : 09/08/2017

Party's Name & Address : Home Insect Control Association  
C/o. Jyothy Laboratories Limited  
Ujala House, Ramakrishna Mandir Road,  
Kondivita, Andheri(E), Mumbai - 400059

Ref. no. and Date : Letter Dated 13/07/2017  
Sample Received on : 27/07/2017  
Date of Analysis : 28/07/2017 - 08/08/2017  
Sample Described as : Sun Relax (Ultra Enterprises) Citronella Incense Sticks  
Tested to Specification : Nil  
Stamped by / Seal : Nil  
ID Mark : Nil

Sr. No.	Test Pesticides :	Method/Technique	Result	Unit of Measure	Detection Limit
1.	Aldrin (Aldrin and dieldrin combined expressed as dieldrin)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
2.	Chlordane (Cis - Trans)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
3.	Chlorothalonil	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
4.	2,4 DDT	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
5.	4,4 DDT	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
6.	2,4 DDD	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
7.	4,4 DDD	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
8.	2'4 DDE	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
9.	4'4 DDE	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
4.	4,4 -DDT	GCMSMS/I CMS-MS	N.D	mg/kg(ppm)	0.01
5.	2,4 -DDD	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
6.	4,4 - DDD	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
7.	2,4 - DDE	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
8.	4,4 - DDE	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
9.	2,4 - DDT	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
10.	Dicofol	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
11.	Dieldrin (see Aldrin)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
12.	Alpha Endosulphan	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
13.	Beta Endosulphan	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
14.	Endosulphan Sulphate	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
15.	Endrin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
16.	Alpha HCH	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01

Continue on next page

Analysis No.: MISC/17/07/009122 Dated 09/08/2017

Proforma No.: GCLPL/QF/5.10/02

Issue No. 6

Page: 1 of 6  
Revision No. 0

1. Test Results related only to the sample (s) tested.
2. Test certificate in full or part shall not be reproduced unless written permission is obtained from M/s. Geo-Chem Laboratories Pvt. Ltd.
3. Geo-Chem Laboratories Pvt. Ltd. is not responsible for the authenticity of photocopied or computer scanned reports / certificates.

This inspection / testing has been performed to the best of our ability and our responsibility is limited to proven negligence. This certificate, which is issued on conditions stipulated overleaf, reflects our findings at the time and place of inspection / testing and does not relieve parties from their contractual obligations. Samples will be retained by us for a period of thirty days only, unless specific instructions to the contrary are received.











**GEO-CHEM LABORATORIES PVT.LTD.**  
 Pragati, Adjacent to Crompton Greaves,  
 Kanjur Marg (E), Mumbai 400042.  
 Tel : +91 22 61915100 Fax : +91 22 61915101  
 Email : laboratory@geochem.net.in  
 CIN: U74220MH1964PTC013022

International  
 Independent Inspection  
 &  
 Testing Company

Sr. No.	Test	Method/Technique	Result	Unit of Measure	Detection Limit
125	Thiacloprid	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
126	Thiamethoxam (Sum Of thiamethoxam and Clothianidin expressed as Thiamethoxam)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
127	Cymoxanil	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
128	Dimethomorph	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
129	Tridemorph	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
130	Diafenthiuron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
131	Diuron (Diuron including all components Containing 3, 4 - dichloroaniline moiety expressed as 3,4 - dichloroaniline)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
132	Iodosulfuron-methyl (iodosulfuron including salts, expressed as iodosulfuron-methyl)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
133	Isoproturon	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
134	Linuron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
135	Lufenuron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
136	Pencycuron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
137	Flufenoxuron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
138	Azoxystrobin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
139	Kresoxim methyl	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
140	Pyraclostrobin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
141	Trifloxystrobin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
142	Fipronil	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
143	Fipronil sulfone	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
144	Chlorantranilliprole	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
145	Fenpyroximate	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
146	Oxyfluorfen	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
147	Pendimethalin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
148	Trifluralin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
149	Alachlor	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
150	Butachlor	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
151	Carboxin	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
152	Flufenacet (sum Of all Compounds containing the N Fluoropheny- N- isopropyl moiety expressed as flufenacet equivalent)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
153	Metolachlor (with S-Metolachlor)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
154	Novaluron	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
155	Abamectin (Sum Of avermectin B1a, Avermectin B1b and delta-8,9 isomer of avermectin B1a)	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01
156	Bifenazate	GCMSMS/LCMS-MS	N.D	mg/kg(ppm)	0.01

Continue on next page

**Analysis No.: MISC/17/07/009122 Dated 09/08/2017**

Page: 5 of 6

**Proforma No.: GCLPL/QF/5.10/02**

**Issue No. 6**

**Revision No. 0**

*Handwritten signature*

1. Test Results related only to the sample (s) tested.
2. Test certificate in full or part shall not be reproduced unless written permission is obtained from M/s. Geo-Chem Laboratories Pvt. Ltd.
3. Geo-Chem Laboratories Pvt. Ltd. is not responsible for the authenticity of photocopied or computer scanned reports / certificates.

This inspection / testing has been performed to the best of our ability and our responsibility is limited to proven negligence. This certificate, which is issued on conditions stipulated overleaf, reflects our findings at the time and place of inspection / testing and does not relieve parties from their contractual obligations. Samples will be retained by us for a period of thirty days only, unless specific instructions to the contrary are received.

